

PUBLICATIONS

- [1] Synthese von 1,6-Trimethylen-3-methoxycarbonyl-4-methyl-2-pyridon. W. Fuhrer, R. Hobi, A. Pfaltz, P. Schneider, *Helv. Chim. Acta* **1974**, *57*, 1498.
- [2] Synthese und reduktive Cyclisierung eines Δ^{18} -Dehydro-A/D-secocorrin-Komplexes. A. Pfaltz, B. Hardegger, P. M. Müller, S. Farooq, B. Kräutler, A. Eschenmoser, *Helv. Chim. Acta* **1975**, *58*, 1444.
- [3] Versuche zur Redox-Simulation der photochemischen A/D-Secocorrin→Corrin-Cycloisomerisierung. B. Kräutler, A. Pfaltz, R. Nordmann, K. O. Hodgson, J. D. Dunitz, A. Eschenmoser, *Helv. Chim. Acta* **1976**, *59*, 924.
- [4] (A →D)-Ringschluss eines Nickel(II)- Δ^{18} -dehydro-1-methyliden-1,19-seco-corrinats. V. Rasetti, B. Kräutler, A. Pfaltz, A. Eschenmoser, *Angew. Chem.* **1977**, *89*, 475; *Angew. Chem. Int. Ed.* **1977**, *16*, 459.
- [5] Photochemische und nicht-photochemische A/D-Secocorrin→Corrin-Cyclisierungen bei 19-Carboxy- und 19-Formyl-1-methyliden-1,19-secocorrinaten. Decarboxylierbarkeit und Deformylierbarkeit von Nickel(II)-19-carboxy- bzw. 19-formyl-corrinaten, A. Pfaltz, N. Bühler, R. Neier, K. Hirai, A. Eschenmoser, *Helv. Chim. Acta* **1977**, *60*, 2653.
- [6] Nicht-photochemische A →D-Ringschlüsse zu Corrin-Komplexen. A. Pfaltz, Dissertation ETH Nr. 6184, Juris Verlag Zürich, 1978.
- [7] Ring Contraction of Hydroporphinoid to Corrinoid Complexes. V. Rasetti, A. Pfaltz, Ch. Kratky, A. Eschenmoser, *Proc. Natl. Acad. Sci. USA* **1981**, *78*, 16.
- [8] Die Dihydrocorphinol→Corrin-Ringkontraktion: Eine potentiell biomimetische Bildungsweise der Corrinstruktur. V. Rasetti, K. Hilpert, A. Fässler, A. Pfaltz, A. Eschenmoser, *Angew. Chem.* **1981**, *93*, 1108; *Angew. Chem. Int. Ed.* **1981**, *20*, 1058.
- [9] Regioselektive Öffnung von α - und β -Alkoxyepoxiden mit Trimethylaluminium. A. Pfaltz, A. Mattenberger, *Angew. Chem.* **1982**, *94*, 79; *Angew. Chem. Int. Ed.* **1982**, *21*, 71; *Angew. Chem. Suppl.* **1982**, 161.
- [10] Zur Kenntnis des Faktors F430 aus methanogenen Bakterien: Struktur des porphinoïden Ligandensystems. A. Pfaltz, B. Jaun, A. Fässler, A. Eschenmoser, R. Jaenchen, H. H. Gilles, G. Diekert, R. K. Thauer, *Helv. Chim. Acta* **1982**, *65*, 828.
- [11] Herstellung und Eigenschaften einiger hydrocorphinoïder Nickel(II)-Komplexe. A. Fässler, A. Pfaltz, P.M. Müller, S. Farooq, Ch. Kratky, B. Kräutler, A. Eschenmoser, *Helv. Chim. Acta* **1982**, *65*, 812.
- [12] Säurekatalysierte Entmetallierung von Nickel-hydrocorphin- und Cobalt-corrin-Komplexen mit 1,3-Propandithiol. N. J. Lewis, A. Pfaltz, A. Eschenmoser, *Angew. Chem.* **1983**, *95*, 743; *Angew. Chem. Int. Ed.* **1983**, *22*, 735.
- [13] Zur Kenntnis des Faktors F430 aus methanogenen Bakterien: Struktur des proteinfreien Faktors. D. A. Livingston, A. Pfaltz, J. Schreiber, A. Eschenmoser, D. Ankel-Fuchs, J. Moll, R. Jaenchen, R. K. Thauer, *Helv. Chim. Acta* **1984**, *67*, 334.
- [14] Synthesis of α -Aminoketones via Selective Reduction of Acyl Cyanides. A. Pfaltz, S. Anwar, *Tetrahedron Lett.* **1984**, *28*, 2977.

- [15] Chemistry of Corphinoids: Synthesis of a Nickel(II) Complex Containing the Chromophore System of Coenzyme F430. A. Fässler, A. Pfaltz, B. Kräutler, A. Eschenmoser, *J. Chem. Soc., Chem. Commun.* **1984**, 1365.
- [16] Chemistry of Corphinoids: Structural Properties of Corphinoid Nickel(II) Complexes Related to Coenzyme F430. Ch. Kratky, A. Fässler, A. Pfaltz, B. Kräutler, B. Jaun, A. Eschenmoser, *J. Chem. Soc., Chem. Commun.* **1984**, 1368.
- [17] Zur Kenntnis des Faktors F430 aus methanogenen Bakterien: Über die Natur der Isolierungsartefakte von F430, ein Beitrag zur Chemie und zur konformationellen Stereochemie der Ligandperipherie von hydroporphinoiden Nickel(II)-Komplexen. A. Pfaltz, D. A. Livingston, B. Jaun, G. Diekert, R. K. Thauer, A. Eschenmoser, *Helv. Chim. Acta* **1985**, 68, 1338.
- [18] Zur Kenntnis des Faktors F430 aus methanogenen Bakterien: absolute Konfiguration. A. Fässler, A. Kobelt, A. Pfaltz, A. Eschenmoser, C. Bladon, A. R. Battersby, R. K. Thauer, *Helv. Chim. Acta* **1985**, 68, 2287.
- [19] Coenzyme F430 from Methanogenic Bacteria: Reversible One-electron Reduction of F430 Pentamethyl Ester to the Nickel(I) Form. B. Jaun, A. Pfaltz, *J. Chem. Soc., Chem. Commun.* **1986**, 1327.
- [20] Chiral Copper-Semicorrin Complexes as Enantioselective Catalysts for the Cyclopropanation of Olefins by Diazo Compounds. H. Fritschi, U. Leutenegger, A. Pfaltz, *Angew. Chem.* **1986**, 98, 1028; *Angew. Chem. Int. Ed.* **1986**, 25, 1005.
- [21] The L-form of N-(7-mercaptoheptanoyl)-O-phosphothreonine is the enantiomer active as component B in methyl-CoM reduction to methane. A. Kobelt, A. Pfaltz, D. Ankel-Fuchs, R. K. Thauer, *FEBS Lett.* **1987**, 214, 265.
- [22] Biosynthesis of Coenzyme F430: Identification of 15,17³-seco-F430-17³-acid as an Intermediate. A. Kobelt, A. Pfaltz, R. Hüster, R. K. Thauer, *Eur. J. Biochem.* **1987**, 170, 459.
- [23] On the role of N-(7-mercaptoheptanoyl)-O-phospho-L-threonine (component B) in the enzymatic reduction of methyl coenzyme M to methane. J. Ellermann, A. Kobelt, A. Pfaltz, R.K. Thauer, *FEBS Lett.* **1987**, 220, 358.
- [24] Coenzyme F430 from Methanogenic Bacteria: Methane Formation by Reductive Carbon Sulphur Bond Cleavage of Methyl Sulphonium Ions Catalysed by F430 Pentamethyl Ester. B. Jaun, A. Pfaltz, *J. Chem. Soc., Chem. Commun.* **1988**, 293.
- [25] Structure and Properties of Coenzyme F430. A. Pfaltz, in *The Bioinorganic Chemistry of Nickel* (J.R. Lancaster, Jr., Ed.), VCH Publishers, New York, 1988, pp. 275 - 298.
- [26] Semicorrin Metal Complexes as Enantioselective Catalysts. Part 1. Synthesis of Chiral Semicorrin Ligands and General Concepts. H. Fritschi, U. Leutenegger, K. Siegmann, A. Pfaltz, W. Keller, Ch. Kratky, *Helv. Chim. Acta* **1988**, 71, 1541.
- [27] Semicorrin Metal Complexes as Enantioselective Catalysts. Part 2. Enantioselective Cyclopropanation of Olefins with Diazo Compounds Catalyzed by Chiral Semicorrin Copper Complexes. H. Fritschi, U. Leutenegger, A. Pfaltz, *Helv. Chim. Acta* **1988**, 71, 1553.
- [28] Enantioselective Reduction of α,β -Unsaturated Carboxylates with NaBH₄ and Catalytic Amounts of Cobalt Semicorrin Complexes. U. Leutenegger, A. Madin, A. Pfaltz, *Angew. Chem.* **1989**, 101, 61; *Angew. Chem. Int. Ed.* **1989**, 28, 60.
- [29] Enantioselective Catalysis with Chiral Cobalt and Copper Complexes. A. Pfaltz, in *Modern Synthetic Methods 1989* (R. Scheffold, Ed.), Springer-Verlag, Berlin-Heidelberg, 1989, pp. 199 - 248.

- [30] Reports from Conferences: 25th EUCHEM Conference on Stereochemistry Bürgenstock. A. Pfaltz, *Chimia* **1989**, *43*, 279.
- [31] Control of Metal-Catalyzed Reactions by Organic Ligands. From Corrinoid and Porphinoid Metal Complexes to Tailor-Made Catalysts for Asymmetric Synthesis. A. Pfaltz, *Chimia* **1990**, *44*, 202.
- [32] Enantioselective Catalysis with Metal Complexes Containing Heterocyclic Ligands. A. Pfaltz, *Bull. Soc. Chim. Belg.* **1990**, *99*, 729.
- [33] Oxiranyllithium Reagents: Generation from Organotin Precursors, Addition to Aldehydes and Ketones, and Dimerization to α,α' -Dialkoxyolefins. P. Lohse, H. Lohner, P. Acklin, F. Sternfeld, A. Pfaltz, *Tetrahedron Lett.* **1991**, *32*, 615.
- [34] C_2 -Symmetric 4,4',5,5'-Tetrahydrobi(oxazoles) and 4,4',5,5'-Tetrahydro-2,2'-methylenebis[oxazoles] as Chiral Ligands for Enantioselective Catalysis. D. Müller, G. Umbricht, B. Weber, A. Pfaltz, *Helv. Chim. Acta* **1991**, *74*, 232.
- [35] Coenzyme F430 from Methanogenic Bacteria: Complete Assignment of Configuration Based on an X-Ray Analysis of 12,13-Diepi-F430 Pentamethylester and on NMR Spectroscopy. G. Färber, W. Keller, Ch. Kratky, B. Jaun, A. Pfaltz, Ch. Spinner, A. Kobelt, A. Eschenmoser, *Helv. Chim. Acta* **1991**, *74*, 697.
- [36] Enantioselective Conjugate Reduction of α,β -Unsaturated Carboxamides with Cobalt Semicorrin Catalysts. P. von Matt, A. Pfaltz, *Tetrahedron: Asymmetry* **1991**, *2*, 691.
- [37] HP 0.35, a cephalosporin degradation product is a specific inhibitor of lentiviral RNAses H, P. Hafkemeyer, K. Neftel, R. Hobi, A. Pfaltz, H. Lutz, K. Lüthi, F. Focher, S. Spadari, U. Hübscher, *Nucl. Acids Res.* **1991**, *19*, 4059.
- [38] 5-Aza-Semicorrins: A New Class of Bidentate Nitrogen Ligands for Enantioselective Catalysis. U. Leutenegger, G. Umbricht, C. Fahrni, P. von Matt, A. Pfaltz, *Tetrahedron Symposium-in-Print "New Synthetic Methods III"*, *Tetrahedron*, **1992**, *48*, 2143.
- [39] Chiral Phosphanoaryldihydrooxazoles as Ligands in Asymmetric Catalysis: Pd-Catalyzed Allylic Substitution. P. von Matt, A. Pfaltz, *Angew. Chem.* **1993**, *105*, 614; *Angew. Chem. Int. Ed.* **1993**, *32*, 566.
- [40] Chiral Semicorrins and Related Nitrogen Heterocycles as Ligands in Asymmetric Catalysis. A. Pfaltz, *Acc. Chem. Res.* **1993**, *26*, 339.
- [41] Chiral Mercaptoaryl-oxazolines as Ligands in Asymmetric Catalysis: Enantioselective 1,4-Addition of Grignard Reagents to α,β -Unsaturated Ketones. Q.-L. Zhou, A. Pfaltz, *Tetrahedron Lett.* **1993**, *34*, 7725.
- [42] Enantioselective Catalysis with Chiral Metal Complexes. A. Pfaltz, in *Stereoselective Synthesis* (E. Ottow, K. Schöllkopf, B.-G. Schulz, Eds.), Springer-Verlag, Berlin-Heidelberg, 1994, pp. 15-36.
- [43] Chiral Mercaptoaryl-oxazolines as Ligands in Enantioselective Copper-Catalyzed 1,4-Additions of Grignard Reagents to Enones. Q.-L. Zhou, A. Pfaltz, *Tetrahedron* **1994**, *50*, 4467.
- [44] Enantioselective Allylic Amination with Chiral (Phosphino-oxazoline)Pd Catalysts. P. von Matt, O. Loiseleur, G. Koch, and A. Pfaltz; C. Lefeber, T. Feucht, and G. Helmchen, *Tetrahedron: Asymmetry* **1994**, *5*, 573.

- [45] New Chiral Modifiers for the Enantioselective Hydrogenation of Ethyl Pyruvate over Pt/Al_2O_3 Catalysts. G. Wang, T. Heinz, A. Pfaltz, B. Minder, T. Mallat, A. Baiker, *J. Chem. Soc., Chem. Commun.* **1994**, 2047.
- [46] Reduction of C=C-Groups, Enantioselective Hydrogenations and Isomerizations. A. Pfaltz, in *Stereoselective Synthesis of Organic Compounds, Houben-Weyl*, Vol. E21b, pp. 4334-4359, Thieme, Stuttgart (1995).
- [47] (1S,9S)-1,9-Bis[[(*tert*-butyl)dimethylsilyloxy]methyl]-5-cyanosemicorrin (and related semicorrins). A. Pfaltz, in *Encyclopedia of Reagents for Organic Synthesis* (L. A. Paquette, Ed.), pp. 441-442, Wiley, 1995.
- [48] (S)-2-[2-(Diphenylphosphino)phenyl]-4-phenyloxazoline (and related phosphino-oxazolines). A. Pfaltz, in *Encyclopedia of Reagents for Organic Synthesis* (L. A. Paquette, Ed.), pp. 2239-2240, Wiley, 1995.
- [49] (S,S)-2,2'-(Dimethylmethylene)bis[4-*tert*-butyl]-2-oxazoline], A. Pfaltz. In *Encyclopedia of Reagents for Organic Synthesis* (L. A. Paquette, Ed.), pp. 2094-2097, Wiley, 1995.
- [50] Chiral Semicorrin and Bis-oxazoline Ligands in Asymmetric Catalysis. A. Pfaltz, in *Advances in Catalytic Processes* (M. P. Doyle, Ed.), Vol. 1, pp. 61-94, JAI Press, Greenwich, 1995.
- [51] Enantioselective Allylic Substitution Catalyzed by Chiral [(Bis(dihydrooxazole))palladium Complexes: Catalyst Structure and Possible Mechanism of Enantioselection. P. von Matt, G. C. Lloyd-Jones, A. B. E. Minidis, A. Pfaltz, L. Macko, M. Neuburger, M. Zehnder, H. Rügger, P. S. Pregosin, *Helv. Chim. Acta* **1995**, 78, 265.
- [52] X-Ray Structures of (Allyl)Palladium(II) Complexes with Chiral Ligands: I. (Allyl)palladium(II) Complexes with Methylenebis(oxazoline) Ligands. M. Neuburger, M. Zehnder, P. von Matt, A. Pfaltz, *Acta Cryst. C* **1995**, C51, 1109.
- [53] Chiral Phosphanodihydrooxazoles in Asymmetric Catalysis: Tungsten-Catalyzed Allylic Substitution. G. C. Lloyd-Jones, A. Pfaltz, *Angew. Chem.* **1995**, 107, 534; *Angew. Chem. Int. Ed.* **1995**, 34, 462.
- [54] A novel amino alcohol derived modifier for the enantioselective hydrogenation of ethyl pyruvate over Pt/alumina. B. Minder, T. Mallat, A. Baiker, G. Wang, T. Heinz, A. Pfaltz, *J. Catal.* **1995**, 154, 371.
- [55] A New Class of Chiral Modifiers for the Enantioselective Hydrogenation of α -Ketoesters with Pt/Al_2O_3 . K. E. Simons, G. Wang, T. Heinz, T. Giger, T. Mallat, A. Pfaltz, A. Baiker, *Tetrahedron: Asymmetry* **1995**, 6, 505.
- [56] Synthesis and Structures of Low-Valent Tungsten Complexes Bearing Chiral Oxazoline-Derived Ligands. G. C. Lloyd-Jones, *Z. Natf. B* **1995**, 50b, 361.
- [57] Enantioselective Allylic Oxidation Catalyzed by Chiral Bisoxazoline-Copper Complexes. A. Ghokale, A. B. E. Minidis, A. Pfaltz, *Tetrahedron Lett.* **1995**, 36, 1831.
- [58] Synthesis of Chiral Phosphinoaryl-oxazolines, a Versatile Class of Ligands for Asymmetric Catalysis. G. Koch, G. C. Lloyd-Jones, O. Loiseleur, R. Prétôt, A. Pfaltz, S. Schaffner, P. Schnider, P. von Matt, *Rec. Trav. Chim. Pays-Bas* **1995**, 114, 206.
- [59] Enantioselective Intramolecular Cyclopropanation Catalyzed by Semicorrin-Copper Complexes. C. Piqué, B. Fährdrich, A. Pfaltz, *Synlett* **1995**, 491.
- [60] 1-(1-Naphthyl)ethylamine and Derivatives thereof as Chiral Modifiers in the Enantioselective Hydrogenation of Ethyl Pyruvate over Pt/Alumina. Thomas Heinz, Guozhi Wang, A. Pfaltz, B. Minder, M. Schürch, T. Mallat, A. Baiker, *J. Chem. Soc., Chem. Commun.* **1995**, 1421.

- [61] Design of Chiral Ligands for Asymmetric Catalysis: From C_2 -Symmetric Semicorrins and Bisoxazolines to Non-symmetric Phosphino-oxazolines (Lecture at the Nobel Symposium on Catalytic Asymmetric Synthesis). A. Pfaltz, *Acta Chem. Scand. B*, **1996**, 50, 189.
- [62] Chiral Phosphanodihydrooxazoles in Asymmetric Catalysis: Enantioselective Heck Reactions. O. Loiseleur, P. Meier, A. Pfaltz, *Angew. Chem.* **1996**, 108, 218; *Angew. Chem. Int. Ed.* **1996**, 35, 200.
- [63] Enantioselective Hydrogenation of Ethyl Pyruvate over Pt/Alumina Modified by (R)-1-(1-Naphthyl)ethylamine and Derivatives thereof. B. Minder, M. Schürch, T. Mallat, A. Baiker, T. Heinz, A. Pfaltz, *J. Catal.* **1996**, 160, 261.
- [64] Enantioselective Reduction of Electrophilic C=C Bonds with Sodium Tetrahydroborate and 'Semicorrin' Cobalt Catalysts. M. Misun, A. Pfaltz, *Helv. Chim. Acta* **1996**, 79, 961.
- [65] Chiral Phosphinooxazolines as Ligands in Asymmetric Catalysis: Intramolecular Pd-Catalyzed Allylic Alkylation. G. Koch, A. Pfaltz, *Tetrahedron: Asymmetry*, **1996**, 7, 2213.
- [66] Isotactic and Atactic Copolymerization of Styrene and Carbon Monoxide using Cationic Palladium-Phosphino(dihydrooxazole) Complexes. M. Sperrle, A. Aeby, G. Consiglio, A. Pfaltz, *Helv. Chim. Acta* **1996**, 79, 1387.
- [67] A copper(II) complex of a new chiral tridentate imidazolidine ligand. F.M. Bohnen, R. Goddard, A.B.E. Minidis, A. Alexakis, A. Pfaltz, *Acta Cryst. C* **1997**, C53, 1236.
- [68] Enantioselective Hydrogenation of Imines with Chiral (Phosphanodihydrooxazole)Iridium Catalysts. P. Schnider, G. Koch, R. Prétôt, G. Wang, F.M. Bohnen, C. Krüger, A. Pfaltz, *Chem. Eur. J.* **1997**, 3, 887.
- [69] Aktueller Forschungsschwerpunkt: Enantioselective Katalyse. A. Pfaltz, Jahrbuch 1997 der Max-Planck-Gesellschaft, Verlag Vandenhoeck & Ruprecht, Göttingen, pp. 486-492.
- [70] Enantioselective Heck Reactions Catalyzed by Chiral Phosphinooxazoline-Palladium Complexes. O. Loiseleur, M. Hayashi, N. Schmees, A. Pfaltz, Feature Article, *Synthesis* **1997**, 1338.
- [71] Enantioselective Hydrogenation of Ethyl Pyruvate over Pt/Alumina: Systematic Variation of the Modifier Structure. A. Pfaltz, T. Heinz, *Topics Catal.* **1997**, 4, 229.
- [72] Enantioselective Copper-Catalyzed 1,4-Addition of Organozinc Reagents to Enones Using Chiral Oxazoline-Phosphite Ligands, A. Knöbel, I. Escher, A. Pfaltz, *Synlett* **1997**, 1429.
- [73] Design of New Modifiers for the Enantioselective Hydrogenation of Ethyl Pyruvate. M. Schürch, T. Heinz, R. Aeschmann, T. Mallat, A. Pfaltz, A. Baiker, *J. Catal.* **1998**, 173, 187.
- [74] Cyclopropanation. A. Pfaltz, in *Transition Metals for Fine Chemicals and Organic Synthesis* (C. Bolm, M. Beller, Eds.), Vol. 1, Wiley-VCH, pp. 100-113 (1998).
- [75] New Ligands for the Regio- and Enantiocontrol in Pd-Catalyzed Allylic Alkylations. R. Prétôt, A. Pfaltz, *Angew. Chem.* **1998**, 110, 337; *Angew. Chem. Int. Ed.* **1998**, 37, 323.
- [76] Enantio- and Regiocontrol in Palladium- and Tungsten-Catalyzed Allylic Substitution. R. Prétôt, G. C. Lloyd-Jones, A. Pfaltz, *Pure Appl. Chem.* **1998**, 70, 1035.
- [77] Synthesis of Chiral C_2 -Symmetric Binucleating Ligands. C. J. Fahrni, A. Pfaltz, *Helv. Chim. Acta* **1998**, 81, 491.
- [78] Structure and Properties of Transition Metal Complexes with Chiral C_2 -Symmetric Binucleating Ligands. C. J. Fahrni, A. Pfaltz, *Helv. Chim. Acta* **1998**, 81, 507.

- [79] Synthesis of chiral *N,N'*-bis-[(2-dihydrooxazolyl)phenyl]oxalamides, a new class of tetradentate ligands for asymmetric catalysis. N. End, A. Pfaltz, *Chem. Eur. J.* **1998**, *4*, 818.
- [80] Chiral Tetradentate Bisamide Ligands for the Ruthenium-catalyzed Enantioselective Epoxidation of *trans*-Stilbene. N. End, A. Pfaltz, *J. Chem. Soc., Chem. Commun.* **1998**, 589.
- [81] Enantioselective Cyclopropanation of Silyl Enol Ethers. A. Ebinger, A. Pfaltz, Tetrahedron Symposium-in-Print "Heterocycles in Asymmetric Synthesis", A. Alexakis (Ed.), *Tetrahedron* **1998**, *54*, 10469.
- [82] Enantioselective Hydrogenation of Olefins with Phosphanodihydrooxazole-Iridium Catalysts. A. Lightfoot, P. Schnider, A. Pfaltz, *Angew. Chem.* **1998**, *110*, 3047. *Angew. Chem. Int. Ed.* **1998**, *37*, 2897.
- [83] A New Planar-Chiral Bipyridine Ligand. U. Wörsdörfer, F. Vögtle, M. Nieger, M. Waletzke, S. Grimme, F. Glorius, A. Pfaltz, *Synthesis* **1999**, 597.
- [84] Enantioselective Heck Reactions Using Chiral P,N-Ligands. O. Loiseleur, M. Hayashi, M. Keenan, N. Schmees, A. Pfaltz, *J. Organometal. Chem.* **1999**, *576*, 16.
- [85] Enantioselective Molybdenum-Catalyzed Allylic Alkylation Using Chiral Bisoxazoline Ligands. F. Glorius, A. Pfaltz, *Org. Lett.* **1999**, 141.
- [86] Asymmetric Catalysis. A. Pfaltz, *Chimia* **1999**, *53*, 220.
- [87] From Corrin Chemistry to Asymmetric Catalysis - A Personal Account. A. Pfaltz, *Synlett* **1999**, 835.
- [88] Iridium-catalyzed Enantioselective Hydrogenation of Imines in Supercritical Carbon Dioxide. S. Kainz, A. Brinkmann, W. Leitner, A. Pfaltz, *J. Am. Chem. Soc.* **1999**, *121*, 6421.
- [89] Copper-Catalyzed Cyclopropanation. A. Pfaltz, in: *Comprehensive Asymmetric Catalysis*, H. Yamamoto, E. Jacobsen, A. Pfaltz (Eds.), Springer, Heidelberg, 1999, Chapter 16, pp. 513-538.
- [90] Allylic Substitution. M. Lautens, A. Pfaltz, in *Comprehensive Asymmetric Catalysis*, H. Yamamoto, E. Jacobsen, A. Pfaltz (Eds.), Springer, Heidelberg, 1999, Chapter 24, pp. 833-886.
- [91] Comprehensive Kinetic Screening of Catalysts Using Reaction Calorimetry. D. G. Blackmond, T. Rosner, A. Pfaltz, *Org. Process Research & Development* **1999**, *3*, 275.
- [92] Chiral Heterocyclic Ligands in Asymmetric Catalysis. A. Pfaltz, *J. Heterocyclic Chem.* **1999**, *36*, 1437.
- [93] A New Planar Chiral Bipyridine-Ligand: Pyrid-2-yl[2](1,4)benzeno[2](5,8)quinolino-phane. U. Wörsdörfer, F. Vögtle, F. Glorius, A. Pfaltz, *J. Prakt. Chem.* **1999**, *341*, 445.
- [94] Chiral Bis(*N*-tosylamino)phosphine- and TADDOL-Phosphite-Oxazolines as Ligands in Asymmetric Catalysis. R. Hilgraf, A. Pfaltz, *Synlett* **1999**, 1814.
- [95] New Chiral Oxazoline-Phosphite Ligands for the Enantioselective Copper-Catalyzed 1,4-Addition of Organozinc Reagents to Enones. I. H. Escher, A. Pfaltz, *Tetrahedron* **2000**, *56*, 2879.
- [96] Phosphinooxazolines - A New Class of Versatile, Modular P,N-Ligands for Asymmetric Catalysis. G. Helmchen, A. Pfaltz, *Acc. Chem. Res.* **2000**, *33*, 336.

- [97] Enantioselective Hydrogenation of Olefins with Phosphinooxazoline-Iridium Catalysts. D. G. Blackmond, A. Lightfoot, A. Pfaltz, T. Rosner, P. Schnider, N. Zimmermann, *Chirality* **2000**, *12*, 442.
- [98] New Efficient Catalysts for the Palladium-Catalyzed Coupling of Alkynes to Enynes. U. Lücking, A. Pfaltz, *Synlett* **2000**, 1261.
- [99] Pd-Catalyzed Allylic Substitution Using Enantiomerically Pure Catalysts and Chiral Nonracemic Substrates: A New Approach to Catalyst-Based Regiocontrol. O. Loiseleur, M. C. Elliott, P. von Matt, A. Pfaltz, *Helv. Chim. Acta* **2000**, *83*, 2287.
- [100] Methane Formation by Reaction of a Methyl Thioether with a Photo-Excited Nickel Thiolate - A Process Mimicking Methanogenesis in Archaea. L. Signor, C. Knuppe, R. Hug, B. Schweizer, A. Pfaltz, B. Jaun, *Chem. Eur. J.* **2000**, *6*, 3508.
- [101] Ruthenium Complexes with Novel Tridentate N,P,N Ligands Containing a Phosphonite Bridge between Two Chiral Oxazolines. Catalytic Activity in Cyclopropanation of Olefins and Transfer Hydrogenation of Acetophenone. P. Braunstein, F. Naud, A. Pfaltz, S. J. Rettig, *Organometallics* **2000**, *19*, 2676.
- [102] Synthesis and Crystal Structures of Ru(II) Complexes Containing Chelating (Phosphino-methyl)oxazoline P,N-Type Ligands and Asymmetric Catalytic Transfer Hydrogenation of Acetophenone in Propan-2-ol. P. Braunstein, C. Graiff, F. Naud, A. Pfaltz, A. Tiripicchio, *Inorg. Chem.* **2000**, *39*, 4468.
- [103] Enantioselective Catalysis Using Sterically and Electronically Unsymmetrical Ligands. A. Humphries, A. Pfaltz, in *Stimulating Concepts in Chemistry* (F. Vögtle, J. F. Stoddart, M. Shibasaki, Eds.), Wiley-VCH, Weinheim, 2000, pp. 89-103.
- [104] Kinetic Studies of Heck Coupling Reactions Using Palladacycle Catalysts: Experimental and Kinetic Modeling of the Role of Dimer Species. T. Rosner, J. Le Bars, D. G. Blackmond, A. Pfaltz, *J. Am. Chem. Soc.* **2001**, *123*, 1848.
- [105] A Scale-Transparent Reaction Calorimetric Assay for Rapid Catalyst Selection. J. Le Bars, T. Häußner, J. Lang, A. Pfaltz, D. G. Blackmond, *Adv. Synth. Catal.* **2001**, *1*, 207.
- [106] Observation of Unusual Kinetics in Heck Reactions of Aryl Halides: The Role of Non-Steady-State Catalyst Concentration. T. Rosner, A. Pfaltz, D. G. Blackmond, *J. Am. Chem. Soc.* **2001**, *123*, 4621.
- [107] (4*S*)-4-(1,1-Dimethylethyl)-2-[1-[(1*bS*)-dinaphtho[2,1-*d*:1',2'-*f*][1,3,2]dioxaphosphepin-4-yl-4,5-dihydrooxazole]-1-methylethyl]-4,5-dihydrooxazole. J. A. Medlock, A. Pfaltz, in *Electronic Encyclopedia of Reagents for Organic Synthesis*, L. Paquette, J. Rigby, W. Roush, P. Wipf (Eds.), Wiley, Chichester, 2001.
- [108] Chiral Phosphinopyrrolyl-Oxazolines: A New Class of Easily Prepared, Modular P,N-Ligands. P. G. Cozzi, N. Zimmermann, R. Hilgraf, S. Schaffner, A. Pfaltz, *Adv. Synth. Catal.* **2001**, *343*, 450.
- [109] Recent Developments in Asymmetric Catalysis. A. Pfaltz, *Chimia* **2001**, *55*, 708.
- [110] A New Class of Modular Phosphite-Oxazoline Ligands: Ir-Catalyzed Enantioselective Hydrogenation of Olefins. J. Blankenstein, A. Pfaltz, *Angew. Chem.* **2001**, *113*, 4577; *Angew. Chem. Int. Ed.* **2001**, *40*, 4445.
- [111] Highly Enantio- and Regioselective Allylic Alkylations Catalyzed by Chiral [Bis(dihydrooxazole)]molybdenum Complexes. F. Glorius, M. Neuburger, A. Pfaltz, *Helv. Chim. Acta* **2001**, *84*, 3178.

- [112] Chiral Bidentate (Phosphinophenyl)benzoxazine Ligands in Asymmetric Catalysis. G. H. Bernardinelli, E. P. Kündig, P. Meier, A. Pfaltz, K. Radkowski, N. Zimmermann, M. Neuburger-Zehnder, *Helv. Chim. Acta* **2001**, *84*, 3233.
- [113] Bild und Spiegelbild in der Chemie. A. Pfaltz. *Neue Zürcher Zeitung*, 5. Dez. 2001.
- [114] Threonine-Derived Phosphinite-Oxazoline Ligands for the Ir-catalyzed Enantioselective Hydrogenation. F. Menges, A. Pfaltz, *Adv. Synth. Catal.* **2002**, *344*, 40.
- [115] Selective anion effects in chiral complexes of iridium via diffusion and HOESY data: relevance to catalysis. D. Drago, P. S. Pregosin, A. Pfaltz, *Chem. Commun.* **2002**, 286.
- [116] A Short, Convenient Synthesis of Enantiomerically Pure N-Protected 2-Azanorbornane-3-carboxaldehyde and Related Amino Alcohols. M. Genov, G. Scherer, M. Studer, A. Pfaltz, *Synthesis* **2002**, 2037.
- [117] Synthesis and Application of Chiral Phosphino-Imidazoline Ligands: Ir-Catalyzed Enantioselective Hydrogenation. F. Menges, M. Neuburger, A. Pfaltz, *Org. Lett.* **2002**, *4*, 4713.
- [118] Iridium-Catalyzed Enantioselective Hydrogenation of Olefins. A. Pfaltz, J. Blankenstein, R. Hilgraf, E. Hörmann, S. McIntyre, F. Menges, M. Schönleber, S. P. Smidt, B. Wüstenberg, N. Zimmermann, *Adv. Synth. Catal.* **2003**, *345*, 33.
- [119] X-Ray and NOE Studies on Trinuclear Iridium Hydrido-Phosphino-Oxazoline (PHOX) Complexes. S. P. Smidt, A. Pfaltz, E. Martinez-Vivente, P. S. Pregosin, A. Albinati, *Organometallics* **2003**, *22*, 1000.
- [120] A New Method for the Discovery of Catalysts in Split-and-mix Libraries. P. Krattiger, C. McCarthy, A. Pfaltz, H. Wennemers, *Angew. Chem.* **2003**, *115*, 1763; *Angew. Chem. Int. Ed.* **2003**, *42*, 1722.
- [121] Highly enantioselective hydrogenation of α,β -unsaturated phosphonates with iridium-phosphinooxazoline complex: synthesis of a phosphorus analogue of naproxen. N. S. Goulioukina, T. M. Dolgina, G. N. Bondarenko, I. P. Beletskaya, M. M. Ilyin, V. A. Davankov, A. Pfaltz, *Tetrahedron: Asymmetry* **2003**, *14*, 1397.
- [122] Heterogeneous Enantioselective Hydrogenation of Activated Ketones Catalyzed by Modified Pt-Catalysts: A Systematic Structure-Selectivity Study. C. Exner, A. Pfaltz, M. Studer, H.-U. Blaser, *Adv. Synth. Catal.* **2003**, *345*, 1253.
- [123] Synthesis of Versatile Chiral P,N-Ligands Derived from Pyridine and Quinoline. W. J. Drury III, N. Zimmermann, M. Keenan, M. Hayashi, S. Kaiser, R. Goddard, A. Pfaltz, *Angew. Chem.* **2004**, *116*, 72; *Angew. Chem. Int. Ed.* **2004**, *43*, 70.
- [124] Design of chiral ligands for asymmetric catalysis: from C_2 -symmetric P,P- and N,N-ligands to sterically and electronically unsymmetric P,N-ligands. A. Pfaltz, W. J. Drury, III, *Proc. Natl. Acad. Sci. USA* **2004**, *101*, 5723.
- [125] Screening of Chiral Catalysts and Catalyst Mixtures by Mass Spectrometric Monitoring of Catalytic Intermediates. C. Markert, A. Pfaltz, *Angew. Chem.* **2004**, *116*, 2551; *Angew. Chem. Int. Ed.* **2004**, *43*, 2497.
- [126] SimplePHOX, a Readily Available Chiral Ligand System for Iridium-Catalyzed Asymmetric Hydrogenation. S. P. Smidt, F. Menges, A. Pfaltz, *Org. Lett.* **2004**, *6*, 2023.
- [127] Enantioselective Hydrogenation of Alkenes with Iridium-PHOX Catalysts: A Kinetic Study of Anion Effects. S. P. Smidt, N. Zimmermann, M. Studer, A. Pfaltz, *Chem. Eur. J.* **2004**, *10*, 4685.
- [128] Palladium (II) Complexes with P,N- and C,N-Ligands as Catalysts for the Heck Reaction.

- T. Schultz, N. Schmees, A. Pfaltz. *Appl. Organomet. Chem.* **2004**, *18*, 595.
- [129] A Combined Experimental and Computational Study of Dihydrido-Phosphinoxazoline Iridium Complexes. C. Mazet, S. P. Smidt, M. Meuwly, A. Pfaltz, *J. Am. Chem. Soc.* **2004**, *126*, 14176.
- [130] Enantioselective Hydrogenation of Imines in Ionic Liquid / Carbon Dioxide Media. M. Solinas, A. Pfaltz, P. G. Cozzi, W. Leitner, *J. Am. Chem. Soc.* **2004**, *126*, 16142.
- [131] Iridium-Catalyzed Asymmetric Hydrogenation. C. Vala, A. Pfaltz, *Chemistry Today* **2004**, *22*, No. 9 (September), 30.
- [132] Chiral Bis(*N*-sulfonylamino)phosphine- and TADDOL-Phosphite-Oxazoline Ligands: Synthesis and Application in Asymmetric Catalysis. R. Hilgraf, A. Pfaltz, *Adv. Synth. Catal.* **2005**, *347*, 61.
- [133] Iridium-Catalyzed Hydrogenation of Terminal Alkenes. S. McIntyre, E. Hörmann, F. Menges, S. P. Smidt, A. Pfaltz, *Adv. Synth. Catal.* **2005**, *347*, 282.
- [134] Palladium(II) Complexes with Chelating P,O-Ligands as Catalysts for the Heck Reaction. T. Schultz, A. Pfaltz, *Synthesis*, **2005**, 1005.
- [135] Immobilization of Rhodium Complexes at Thiolate Monolayers on Gold Surfaces: Catalytic and Structural Studies. T. Belsler, M. Stöhr, A. Pfaltz, *J. Am. Chem. Soc.* **2005**, *127*, 8720.
- [136] Synthesis and Characterization of Cationic Rhodium Complexes with Stable Silylenes. E. Neumann, A. Pfaltz, *Organometallics* **2005**, *24*, 2008.
- [137] Chiral Boron-Bridged Bisoxazolines: Readily Available Anionic Ligands for Asymmetric Catalysis, C. Mazet, V. Köhler, A. Pfaltz, *Angew. Chem.* **2005**, *117*, 4966; *Angew. Chem. Int. Ed.* **2005**, *31*, 4888.
- [138] Enantio- and Diastereoselective [3+2] Cycloadditions of Azomethine Ylides with Ag(I)-Phosphinoxazoline Catalysts. R. Stohler, F. Wahl, A. Pfaltz, *Synthesis* **2005**, 1431.
- [139] (S)-2-[2-(Diphenylphosphino)phenyl]-4-phenyloxazoline; First Update. A. Pfaltz, C. E. Humphrey, in *Encyclopedia of Reagents for Organic Synthesis - e-EROS* (P. L. Fuchs, Ed.), pp. 2239-2240, Wiley, 2006.
- [140] Bisoxazolines – a Privileged Ligand Class for Asymmetric Catalysis. A. Pfaltz, in *Asymmetric Synthesis – The Essentials* (S. Bräse, Ed.), Wiley-VCH, Weinheim, 2006, pp. 139-143.
- [141] Asymmetric Hydrogenation of Unfunctionalized, Purely Alkyl-Substituted Olefins. S. Bell, B. Wüstenberg, S. Kaiser, F. Menges, T. Netscher, A. Pfaltz, *Science* **2006**, *311*, 642.
- [142] Enantioselective Routes to (–)-(R)-Muscone. B. Bulic, U. Lücking, A. Pfaltz, *Synlett* **2006**, 1031.
- [143] P,N and Non-Phosphorus Ligands. S. Bell, A. Pfaltz, in *The Handbook of Homogeneous Hydrogenation* (H. de Vries, K. Elsevier, Eds.), Ch. 29, Wiley-VCH, Weinheim, 2006. pp. 1029-1047.
- [144] Asymmetric Hydrogenation of Unfunctionalized Olefins. S. Bell, A. Pfaltz, in *The Handbook of Homogeneous Hydrogenation* (H. de Vries, K. Elsevier, Eds.), Ch. 30, Wiley-VCH, Weinheim, 2006. pp. 1049-1072.
- [145] Synthesis of Boron-Bridged Anionic C₂-Symmetric Bisoxazolines and Their Application in Asymmetric Catalysis. C. Mazet, V. Köhler, S. Roseblade, A. Toussaint, A. Pfaltz, *Chimia* **2006**, *60*, 195.

- [146] Synthesis and Application of Chiral *N*-Heterocyclic Carbene-Oxazoline Ligands: Ir-Catalyzed Enantioselective Hydrogenation. S. Nanchen, A. Pfaltz, *Chem. Eur. J.* **2006**, *12*, 4550.
- [147] Kinetic Resolution of Diols and Pyridyl Alcohols by Cu(II)(borabox)-Catalyzed Acylation. C. Mazet, S. Roseblade, V. Köhler, A. Pfaltz, *Org. Lett.* **2006**, *8*, 1879.
- [148] Iridium Catalysts with Bicyclic Pyridine-Phosphinite Ligands: Asymmetric Hydrogenation of Olefins and Furans. S. Kaiser, S. P. Smidt, A. Pfaltz, *Angew. Chem.* **2006**, *118*, 5318; *Angew. Chem. Int. Ed.* **2006**, *45*, 5195.
- [149] Chiral Phosphine- and Phosphinite-*N*-Heterocyclic Carbene Ligands and their Application in Iridium-Catalyzed Asymmetric Hydrogenation. S. Nanchen, A. Pfaltz, *Helv. Chim. Acta* **2006**, *89*, 1559.
- [150] Comprehensive Kinetic Screening of Palladium Catalysts for Heck Reactions. D. G. Blackmond, T. Schultz, J. S. Mathew, T. Rosner, A. Pfaltz, *Synlett* **2006**, 3135.
- [151] Recent Advances in Iridium-Catalysed Hydrogenation. S. J. Roseblade, A. Pfaltz, *C. R. Chimie* **2007**, *10*, 178.
- [152] Synthesis of Chiral *C*₂-Symmetric Methylene- and Boron-Bridged Bis(imidazoline) Ligands. B. Ramalingam, M. Neuburger, A. Pfaltz, *Synthesis* **2007**, 572.
- [153] Synthesis and Application of Phosphinite Oxazoline Iridium Complexes for the Asymmetric Hydrogenation of Alkenes. F. Menges, A. Pfaltz, in *Catalysts for Fine Chemical Synthesis* (J. Whittall, S. Roberts, Eds.), Vol 5, Wiley-VCH, Weinheim, 2007, pp. 42-48.
- [154] Palladium-Catalyzed Allylic Substitution: Reversible Formation of Allyl-Bridged Dinuclear Palladium(I) Complexes. C. Markert, M. Neuburger, K. Kulicke, M. Meuwly, A. Pfaltz, *Angew. Chem.* **2007**, *119*, 5996; *Angew. Chem. Int. Ed.* **2007**, *46*, 5892.
- [155] Asymmetric Catalytic Intramolecular Pauson-Khand Reactions with Iridium-PHOX Catalysts. Z.-L. Lu, E. Neumann, A. Pfaltz, *Eur. J. Org. Chem.* **2007**, 4189.
- [156] Synthesis and Metal Complexes of Chiral *C*₂-Symmetric Diamino-Bisoxazoline Ligands. G. Guillemot, M. Neuburger, A. Pfaltz, *Chem. Eur. J.* **2007**, *13*, 8960.
- [157] Iridium-Catalyzed Asymmetric Hydrogenation of Unfunctionalized Tetrasubstituted Olefins. M. G. Schrems, E. Neumann, A. Pfaltz, *Angew. Chem.* **2007**, *119*, 8422; *Angew. Chem. Int. Ed.* **2007**, *46*, 8274.
- [158] Iridium-Catalyzed Asymmetric Hydrogenation of Olefins. S. J. Roseblade, A. Pfaltz, *Acc. Chem. Res.* **2007**, *40*, 1402.
- [159] Kinetic Resolution of Pyridyl Alcohols by Cu(II)(Borabox)-Catalyzed Acylation. S. Roseblade, A. Pfaltz, *Synthesis* **2007**, 3751.
- [160] Homogeneous Hydrogenation of Tri- and Tetrasubstituted Olefins: Comparison of Ir-PHOX Complexes and Crabtree Catalysts with Hexafluorophosphate and Tetrakis[3,5-bis(trifluoromethyl)phenyl]borate (BAr_F) as Counterions. B. Wüstenberg, A. Pfaltz, *Adv. Synth. Catal.* **2008**, *350*, 174.
- [161] Synthesis of Functionalized Borate Building Blocks for the Anionic Derivatization of Neutral Compound. A. Franzke, A. Pfaltz, *Synthesis* **2008**, 245.
- [162] Enantio- and Diastereoselective Hydrogenation of Farnesol and *O*-Protected Derivatives: Stereocontrol through Adjustment of C=C Bond Configuration. A. Wang, B. Wüstenberg, A. Pfaltz, *Angew. Chem.* **2008**, *120*, 2330; *Angew. Chem. Int. Ed.* **2008**, *47*, 2298.

- [163] Combinatorial Ligand Development Based on Mass Spectrometric Screening and a Double Mass-Labeling Strategy. C. Markert, P. Rösel, A. Pfaltz, *J. Am. Chem. Soc.* **2008**, *130*, 3234.
- [164] Mass Spectrometric Screening of Chiral Catalysts by Monitoring the Back Reaction of Quasienantiomeric Products: Pd-Catalyzed Allylic Substitution. C. A. Müller, A. Pfaltz, *Angew. Chem.* **2008**, *120*, 3411; *Angew. Chem. Int. Ed.* **2008**, *47*, 3363.
- [165] Mass Spectrometric Screening of Enantioselective Diels-Alder Reactions. A. Teichert, A. Pfaltz, *Angew. Chem.* **2008**, *120*, 3408; *Angew. Chem. Int. Ed.* **2008**, *47*, 3360.
- [166] Phosphinomethyl-Oxazolines as Effective Ligands for the Iridium-Catalyzed Enantioselective Hydrogenation of Unfunctionalized Tetrasubstituted Olefins. M. G. Schrems, E. Neumann, A. Pfaltz, *Heterocycles* **2008**, *76*, 771 (Special issue dedicated to Prof Noyori on the occasion of his 70th birthday).
- [167] Asymmetric Henry Reactions Catalyzed by Metal Complexes of Chiral Boron-Bridged Bisoxazoline (borabox) Ligands. A. Toussaint, A. Pfaltz, *Eur. J. Org. Chem.* **2008**, 4591.
- [168] Chiral Boron-Bridged Bisoxazoline (borabox) Ligands: Structure and Reactivity of Pd and Cu Complexes. V. Köhler, C. Mazet, A. Toussaint, K. Kulicke, D. Häussinger, M. Neuburger, S. Schaffner, S. Kaiser, A. Pfaltz, *Chem. Eur. J.* **2008**, *14*, 8530.
- [167] Chiral Bis(*N*-arylamino)phosphine-oxazolines: Synthesis and Application in Asymmetric Catalysis. M. Schönleber, R. Hilgraf, A. Pfaltz, *Adv. Synth. Catal.* **2008**, *350*, 2033.
- [168] Enantioselective Synthesis of Chromanes by Iridium-Catalyzed Asymmetric Hydrogenation of 4H-Chromenes. C. Valla, A. Baeza, Menges, A. Pfaltz, *Synlett* **2008**, 3167.
- [169] Recent Progress in Iridium-Catalyzed Enantioselective Hydrogenation: Tetrasubstituted Olefins and Polyenes. M. G. Schrems, A. Wang, *Chimia (Special Issue 'Chirality')* **2008**, *62*, 506.
- [170] Iridium-catalyzed asymmetric hydrogenation of olefins using pyridine-phosphinites derived from the chiral pool. R. Zalubovskis, E. Hörmann, A. Pfaltz, C. Moberg, *ARKIVOC* **2008** (xiv), 58.
- [171] Iridium-Catalyzed Asymmetric Hydrogenation of Unfunctionalized Enamines. A. Baeza, A. Pfaltz, *Chem. Eur. J.* **2009**, *15*, 2266.
- [172] Mass Spectrometric Screening of Chiral Catalysts and Catalyst Mixtures. Feature Article. C. A. Müller, C. Markert, A. M. Teichert, A. Pfaltz, *Chem. Commun.* **2009**, 1607.
- [173] (+)- and (-)-Mutisianthol: First Total Synthesis, Absolute Configuration, and Antitumor Activity. G. G. Bianco, M. C. Ferraz, A. M. Costa, L. V. Costa-Lotufo, C. Pessoa, M. O. de Moraes, M. G. Schrems, A. Pfaltz, L. F. Silva, Jr., *J. Org. Chem.* **2009**, *74*, 2561.
- [174] Chromatography-free Enzymatic Kinetic Resolution of Secondary Alcohols. M. Maywald, A. Pfaltz, *Synthesis* **2009**, 3654.
- [175] NeoPHOX – an Easily Accessible P,N Ligand for Iridium-Catalyzed Asymmetric Hydrogenation: Preparation, Scope and Application in the Synthesis of Demethyl Methoxycalamenene. M. G. Schrems, A. Pfaltz, *Chem. Commun.* **2009**, 6210.
- [176] P-Chiral Ferrocenephospholanes: Synthesis, Reactivity, Metal Complex Chemistry and Application in the Asymmetric Hydrogenation of Olefins. B. Gschwend, B. Pugin, A. Bertogg, A. Pfaltz, *Chem. Eur. J.* **2009**, *15*, 12993.

- [177] Enantioselective Michael Addition to α,β -Unsaturated Aldehydes: Combinatorial Catalyst Preparation and Screening, Reaction Optimization and Mechanistic Studies. I. Fleischer, A. Pfaltz, *Chem. Eur. J.* **2010**, *16*, 95.
- [178] Total Synthesis and Absolute Configuration of Macrocidin A, a Cyclophane Tetramic Acid Natural Product. T. Yoshinari, K. Ohmori, M. G. Schrems, A. Pfaltz, K. Suzuki, *Angew. Chem.* **2010**, *122*, 893; *Angew. Chem. Int. Ed.* **2010**, *49*, 881.
- [179] Iridium-Catalyzed Asymmetric Hydrogenation of N-Protected Indoles. A. Baeza, A. Pfaltz, *Chem. Eur. J.* **2010**, *16*, 2036.
- [180] Iridium-Catalyzed Asymmetric Hydrogenation of Imines. A. Baeza, A. Pfaltz, *Chem. Eur. J.* **2010**, *16*, 4003.
- [181] An Expeditious Asymmetric Formal Synthesis of the Antibiotic Platensimycin. K. Tiefenbacher, L. Tröndlin, A. Pfaltz, J. Mulzer, *Tetrahedron* (Tetrahedron Symposium-in-Print for Prof. Steven Ley) **2010**, *66*, 6508.
- [182] Chiral Pyridyl Phosphinites with Large Aryl Substituents as Efficient Ligands for the Asymmetric Iridium-Catalyzed Hydrogenation of Difficult Substrates. D. H. Woodmansee, M.-A. Müller, M. Neuburger, A. Pfaltz. *Chem. Science* **2010**, *1*, 72.
- [183] Bis(2-methoxymethyl)pyrrolidine)phosphine as Effective Chiral Auxiliary for the Stereoselective Synthesis of Chiral Ferrocenyl Diphosphines. M. Lotz, B. Pugin, M. Kesselgruber, M. Thommen, F. Spindler, H.-U. Blaser, A. Pfaltz, M. Schönleber, *Tetrahedron: Asymmetry* **2010**, *21*, 1199.
- [184] Chiral Mixed Secondary Phosphine Oxide (SPO)-Phosphines: High Performing and Easily Accessible Ligands For Asymmetric Hydrogenation. H. Landert, F. Spindler, A. Wyss, H.-U. Blaser, B. Pugin, Y. Ribourduille, B. Gschwend, B. Ramalingam, A. Pfaltz, *Angew. Chem.* **2010**, *122*, 7025; *Angew. Chem. Int. Ed.* **2010**, *49*, 6873.
- [185] Synthesis and Catalysis. K. Gademann, A. Pfaltz, H. A. Wegner, H. Wennemers, W.-D. Woggon, A. Chougnnet, *Chimia* **2010**, *64*, 859.
- [186] Unprecedented Reactivity of Ir(I) Secondary Phosphine Oxide Complexes: Formation of P-Coordinated Phosphinate Complexes by P-Aryl Bond Cleavage. M. Liniger, B. Gschwend, M. Neuburger, S. Schaffner, A. Pfaltz, *Organometallics* **2010**, *29*, 5953.
- [187] Iridium-Catalyzed Asymmetric Hydrogenation of Unfunctionalized, Trialkyl-Substituted Olefins. A. Wang, R. P. A. Fraga, E. Hörmann, A. Pfaltz, *Chem. Asian. J.* **2011**, *6*, 599.
- [188] Iridium-Catalyzed Asymmetric Hydrogenation of Olefins with Chiral N,P and C,N Ligands. D. H. Woodmansee, A. Pfaltz, *Topics in Organometallic Chemistry* (P. G. Andersson, Ed.), **2011**, *34*, 31.
- [189] Zwitterionic Iridium Complexes with P,N-Ligands as Catalysts for the Asymmetric Hydrogenation of Alkenes. A. Franzke, A. Pfaltz, *Chem. Eur. J.* **2011**, *17*, 4131.
- [190] Synthesis of new serine-based phosphinoxazoline ligands and iridium complexes for asymmetric hydrogenations. A. Franzke, F. Voss, A. Pfaltz, *Tetrahedron* **2011**, *67*, 4358.
- [191] PHOX Ligands. C. Bausch, A. Pfaltz, in: *Privileged Chiral Ligands and Catalysts* (Q.-L. Zhou, Ed.), Wiley-VCH, Weinheim, 2011, pp. 221-256.
- [192] A non-iterative, flexible, and highly stereoselective synthesis of polydeoxypropionates - synthesis of (+)-vittatalactone. C. F. Weise, M. Pischl, A. Pfaltz, C. Schneider, *Chem. Commun.* **2011**, *47*, 3248.
- [193] Determining the enantioselectivity of chiral catalysts by mass spectrometric screening of

- their racemic forms. C. Ebner, C. A. Müller, C. Markert, A. Pfaltz, *J. Am. Chem. Soc.* **2011**, *133*, 4710.
- [194] Asymmetric hydrogenation of alkenes lacking coordinating groups. Highlight. D. H. Woodmansee, A. Pfaltz, *Chem. Commun.* **2011**, *47*, 7912.
- [195] A Unified Approach for the Stereoselective Total Synthesis of Pyridone Alkaloids and Their Neuritogenic Activity. H. J. Jessen, A. Schumacher, T. Shaw, A. Pfaltz, K. Gademann, *Angew. Chem.* **2011**, *123*, 4308; *Angew. Chem. Int. Ed.* **2011**, *50*, 4222.
- [196] Proline Based P,O Iridium Complexes as Highly Selective Catalysts in the Asymmetric Hydrogenation of Trisubstituted Alkenes. D. Rageot, D. H. Woodmansee, B. Pugin, A. Pfaltz. *Angew. Chem.* **2011**, *123*, 9772; *Angew. Chem. Int. Ed.* **2011**, *50*, 9598.
- [197] Catalytic Enantioselective Total Synthesis of (+)-Torrubiellone C. H. J. Jessen, A. Schumacher, F. Schmid, A. Pfaltz, K. Gademann, *Org. Lett.* **2011**, *13*, 4368.
- [198] Chiral dihydrobenzo[1,4]oxazines as catalysts for the asymmetric transfer hydrogenation of α,β -unsaturated aldehydes. C. Ebner, A. Pfaltz, *Tetrahedron* **2011**, *67*, 10827.
- [199] Enantioselective Synthesis of *cis*-1,2-Disubstituted Cyclopentanes and Cyclohexanes by a Sequence of Suzuki-Miyaura Cross-Coupling and Iridium-Catalyzed Asymmetric Hydrogenation. A. Schumacher, M. G. Schrems, A. Pfaltz, *Chem. Eur. J.* **2011**, *17*, 13502.
- [200] Comment on "An overview of recent developments in metal-catalyzed asymmetric transformations" by Sandovai and Noyori. A. Pfaltz, in: *Organic Chemistry - Breakthroughs and Perspectives* (K. Ding, L. Dai, Eds.), pp. 363-365, Wiley-VCH, Weinheim, 2012.
- [201] Mixed Donor Ligands. R. Tannert, A. Pfaltz, in: *Phosphorus(III) Ligands in Homogeneous Catalysis: Design and Synthesis* (P. W. N. M. van Leeuwen, P. C. J. Kamer, Eds.), Ch. 9, pp. 233-265, Wiley, Chichester, 2012.
- [202] Iridium-Catalyzed Enantioselective Hydrogenation of Alkenylboronic Esters. A. Ganić, A. Pfaltz, *Chem. Eur. J.* **2012**, *18*, 6724.
- [203] Recent Advances in Iridium-Catalyzed Asymmetric Hydrogenation: New Catalysts, Substrates and Applications in Total Synthesis. A. Ganić, D. Rageot, L. Tröndlin, A. Pfaltz, *Chimia* **2012**, *66*, 187.
- [204] Asymmetric Hydrogenation of α,β -Unsaturated Carboxylic Esters with Chiral Iridium N,P Ligand Complexes. D. H. Woodmansee, M.-A. Müller, L. Tröndlin, E. Hörmann, A. Pfaltz, *Chem. Eur. J.* **2012**, *18*, 13780.
- [205] Chiral Proline-Based P,O and P,N Ligands for Iridium-Catalyzed Asymmetric Hydrogenation. D. Rageot, A. Pfaltz, *Helv. Chim. Acta* (Special Issue dedicated to Prof. Dieter Seebach) **2012**, *95*, 2176.
- [206] Chiral Compounds. H.-U. Blaser, A. Pfaltz, H. Wennemers, *Ullmann's Encyclopedia of Industrial Chemistry*, Wiley-VCH, Weinheim, 2012. Published online; DOI: 10.1002/14356007.a18_177.pub2
- [207] A General, Asymmetric, and Noniterative Synthesis of Trideoxypropionates. Straightforward Syntheses of the Pheromones (+)-Vittatalactone and (+)-Norvittatalactone. C. F. Weise, M. Pischl, A. Pfaltz, C. Schneider, *J. Org. Chem.* **2012**, *77*, 1477.
- [208] Asymmetric Hydrogenation Using Rhodium Complexes Generated from Mixtures of Monodentate Neutral and Anionic Phosphorus Ligands. D. J. Frank, A. Franzke, A. Pfaltz, *Chem. Eur. J.* **2013**, *19*, 2405.

- [209] Double-Asymmetric Hydrogenation Strategy for the Reduction of 1,1-Diaryl Olefins Applied to an Improved Synthesis of CuIPhEt, a C₂-Symmetric N-Heterocyclic Carbenoid. E. Spahn, A. Albright, M. Shevlin, L. Pauli, A. Pfaltz, R. E. Gawley, *J. Org. Chem.* **2013**, *78*, 2731.
- [210] Discovery of an Iridacycle Catalyst with Improved Reactivity and Enantioselectivity in the Hydrogenation of Dialkyl Ketimines. Y. Schramm, F. Barrios-Landeros, A. Pfaltz, *Chem. Sci.* **2013**, *4*, 2760.
- [211] Chiral N-Heterocyclic Carbene-Pyridine Ligands for the Iridium-Catalyzed Asymmetric Hydrogenation of Olefins. A. Schumacher, M. Bernasconi, A. Pfaltz, *Angew. Chem.* **2013**, *125*, 7570; *Angew. Chem. Int. Ed.* **2013**, *52*, 7422.
- [212] A Convergent and Stereoselective Synthesis of the Glycolipid Components Phthioceranic Acid and Hydroxyphthioceranic Acid. M. C. Pischl, C. F. Weise, M.-A. Müller, A. Pfaltz, C. Schneider, *Angew. Chem.* **2013**, *125*, 9138; *Angew. Chem. Int. Ed.* **2013**, *52*, 8968.
- [213] Characterization and Reactivity Studies of Dinuclear Iridium Hydride Complexes Prepared from Iridium Catalysts with N,P and C,N Ligands Under Hydrogenation Conditions. S. Gruber, M. Neuburger, A. Pfaltz, *Organometallics* **2013**, *32*, 4702.
- [214] Organocatalytic Asymmetric Conjugate Addition of Aldehydes to Nitroolefins: Identification of Catalytic Intermediates and the Stereoselectivity-Determining Step by ESI-MS. F. Bächle, J. Duschmalé, C. Ebner, A. Pfaltz, H. Wennemers, *Angew. Chem.* **2013**, *125*, 12851; *Angew. Chem. Int. Ed.* **2013**, *52*, 12619.
- [215] Towards Force Fields for Atomistic Simulations of Iridium-Containing Complexes. F.D. Hofmann, M. Devereux, A. Pfaltz, M. Meuwly, *J. Comput. Chem.* **2014**, *35*, 18.
- [216] Asymmetric Hydrogenation with Iridium C,N and N,P Ligand Complexes: Characterization of Dihydride Intermediates with a Coordinated Alkene. S. Gruber, A. Pfaltz, *Angew. Chem.* **2014**, *126*, 1927-1931; *Angew. Chem. Int. Ed.* **2014**, *53*, 1896-1900.
- [217] Synthesis of functionalized pyridinium salts bearing a free amino group. J. Auth, P. Mauleón, A. Pfaltz, *ARKIVOC* (Special issue in honour of Prof. Pierre Vogel), **2014** (iii) 154.
- [218] Iridium-Catalyzed Asymmetric Hydrogenation of 3,3-Disubstituted Allylic Alcohols in Ethereal Solvents. M. Bernasconi, V. Ramella, P. Tosatti, A. Pfaltz, *Chem. Eur. J.* **2014**, *20*, 2440-2444.
- [219] Catalytic Enantioselective Total Synthesis of (-)-Pyridovericin. F. Schmid, M. Bernasconi, H. J. Jessen, A. Pfaltz, K. Gademann, *Synthesis* **2014**, *46*, 864-870.
- [220] Asymmetric Hydrogenation of Maleic Acid Diesters and Anhydrides. M. Bernasconi, M.-A. Müller, A. Pfaltz, *Angew. Chem.* **2014**, *126*, 5489-5492; *Angew. Chem. Int. Ed.* **2014**, *53*, 5385-5388.
- [221] Asymmetric Hydrogenation of α,β -Unsaturated Nitriles with Base-Activated Iridium N,P Ligand Complexes. M.-A. Müller, A. Pfaltz, *Angew. Chem.* **2014**, *126*, 8812-8815; *Angew. Chem. Int. Ed.* **2014**, *53*, 8668-8671.
- [222] Iridium-Catalyzed H/D Exchange: Ligand Complexes with Improved Efficiency and Scope. *Chem. Eur. J.* **2014**, *20*, 11496-11504.
- [223] A Highly Stereoselective and Flexible Strategy for the Convergent Synthesis of Long-Chain Polydeoxypropionates: Application towards the Synthesis of the Glycolipid Membrane Components Hydroxyphthioceranic and Phthioceranic Acid. M. C. Pischl, C. F. Weise, S. Haseloff, M.-A. Müller, A. Pfaltz, C. Schneider, *Chem. Eur. J.* **2014**, *20*, 17360-17374.
- [224] Asymmetric Hydrogenation of Furans and Benzofurans with Iridium-Pyridine-Phosphinite Catalysts. L. Pauli, R. Tannert, R. Scheil, A. Pfaltz, *Chem. Eur. J.* **2015**, *21*, 1482-1487.

- [225] Mass Spectrometric Screening of Racemic Amine Catalysts for Enantioselective Michael Reactions. F. Bächle, I. Fleischer, A. Pfaltz, *Adv. Synth. Catal.* **2015**, *357*, 2247-2254.
- [226] Quaternary Stereogenic Centers through Enantioselective Heck Arylation of Acyclic Olefins with Aryldiazonium Salts: Application in a Concise Synthesis of (*R*)-Verapamil. C. C. Oliveira, A. Pfaltz, C. R. D. Correia, *Angew. Chem.* **2015**, *127*, 14242-14245; *Angew. Chem. Int. Ed.* **2015**, *54*, 14036-14039.
- [227] Pyridylidene-Mediated Dihydrogen Activation Coupled with Catalytic Imine Reduction. J. Auth, J. Padevet, P. Mauleon, A. Pfaltz, *Angew. Chem.* **2015**, *127*, 9678-9681; *Angew. Chem. Int. Ed.* **2015**, *54*, 9542-9545. Corrigendum: *Angew. Chem.* **2017**, *129*, 9375-9394; *Angew. Chem. Int. Ed.* **2017**, *56*, 9247-9266.
- [228] Mass Spectrometric Back Reaction Screening of Quasi-Enantiomeric Products as a Mechanistic Tool. P. G. Isenegger, A. Pfaltz, *Chem. Rec.* **2016**, *16*, 2534-2543.
- [229] NeoPHOX – a structurally tunable ligand system for asymmetric catalysis. J. Padevĕt, M. G. Schrems, R. Scheil, A. Pfaltz, *Beilstein J. Org. Chem.* **2016**, *12*, 1185-1195.
- [230] Asymmetric Morita-Baylis-Hillman Reaction: Catalyst Development and Mechanistic Insights Based on Mass Spectrometric Back Reaction Screening. P. G. Isenegger, F. Bächle, A. Pfaltz, *Chem. Eur. J.* **2016**, *22*, 17595-17599.
- [231] Ligands for Iridium-Catalyzed Asymmetric Hydrogenation of Challenging Substrates. M.-A. Müller, A. Pfaltz, in: *Ligand Design in Metal Chemistry: Reactivity and Catalysis* (M. Stradiotto, R. L. Lundgren, Eds.), Ch. 3, pp. 46-65, Wiley, Chichester, 2016.
- [232] Iridium-Catalyzed Enantioselective Hydrogenation of Vinylsilanes. A. Wang, M. Bernasconi, A. Pfaltz, *Adv. Synth. Catal.* **2017**, *359*, 2523-2529.
- [233] Iridium-Catalyzed Asymmetric Hydrogenation of Benzo[*b*]thiophene 1,1-Dioxides. P. Tosatti, A. Pfaltz, *Angew. Chem.* **2017**, *56*, 4579-4582; *Angew. Chem. Int. Ed.* **2017**, *129*, 4650-4653.
- [234] Recovery and Recycling of Chiral Iridium(N,P Ligand) Catalysts from Hydrogenation Reactions. M.-A. Müller, S. Gruber, A. Pfaltz, *Adv. Synth. Catal.* **2018**, *360*, 1340-1345.
- [235] H₂ Activation by Non-Transition Metal Systems: Hydrogenation of Aldimines and Ketimines with LiN(SiMe₃)₂. D. C. Elliott, A. Marti, P. Mauleón, A. Pfaltz. *Chem. Eur. J.* **2019**,